

BATTERIES & LAMPS 2020 CATALOGUE

HUGE RANGE. LOW PRICES.

CONTENTS

BATTERIES	04-29
ZINC	06-09
SUPER ALKALINE	10-15
ULTRA ALKALINE	16-19
INDUSTRIAL	20-21
RECHARGEABLE	22-23
COIN CELL/ SPECIALIST	24-29
LAMPS	30-51
GUIO	32-37
GOLFBALL	38-41
CANDLE	42-45
GLS	46-51





BATTERY RANGE.

Our comprehensive range of batteries includes Super Alkaline, Rechargeable, Industrial, Coin Cell/Specialist and much more.





BATTERY RANGE

The Zinc range are our most budget-friendly batteries. A great, reliable power source for low energy devices such as TV remote controls & smoke detectors.



BATTERY RANGE ZINC

Zinc batteries are available in various types and pack sizes to suit a wide range of applications.

The essential AA, AAA, C, D and 9V battery types are all included in our range.

AAA ZINC, PACK OF 4



S5327

BATTERY TYPE BARCODE

5050028025467

RO3/AAA

AA ZINC, PACK OF 8 (4+4)



S6586

BATTERY TYPE	R6/AA
BARCODE	5050028025436

AAA ZINC, PACK OF 8 (4+4)



S6587

BATTERY TYPE

BARCODE

5050028025498

RO3/AAA

AA ZINC, PACK OF 4 AA P C B ZINC JE8 ZINC JES

ZINC

ZINC

BUILT TO LAST

JES

JES

R6/AA

BATTERY TYPE

BARCODE

5050028025405

AA ZINC, PACK OF 10



S5489

BATTERY TYPE

R6/AA

BARCODE

5050028028864

C SIZE ZINC, PACK OF 2




\$5379

BARCODE

BATTERY TYPE

5050028025528

RI4/C





BATTERY RANGE SUPER ALKALINE.

The Super Alkaline range have a longer shelf life and up to 7 times more power than the Zinc range. Better suited for devices that require more energy, such as stereos, digital cameras and game controllers.





BATTERY RANGE SUPER ALKALINE

Super Alkaline batteries are available in various types and pack sizes to suit a wide range of applications.

The essential AA, AAA, C, D and 9V battery types are all included in our range.





AAA SUPER ALKALINE, PACK OF 4



BATTERY TYPE

BARCODE

LR03/AAA 5050028025795

AAA SUPER ALKALINE, PACK OF 20

	20 PACK
ALKALINE	ALKALINE
ALKALINE	ALKALINE
ALKALINE	ALXALINE
ALKALINE	ALKALINE



AA SUPER ALKALINE, PACK OF 4

SI2I08

BATTERY TYPE

BARCODE

LRO3/AAA

5050028134879

BATTERY TYPELR6/AABARCODE5050028025610





AA SUPER ALKALINE, PACK OF 12



S5334

BATTERY TYPE

BARCODE

5050028025702

LR6/AA

AA SUPER ALKALINE, PACK OF 20

AA	-		1
Je	E	20 PA	СК
ALKALINE	30.	ALKALINE	an .
ALKALINE	354	ALKALINE	128
ALKALINE	10	ALKALINE	228 -
ALKALINE	200	ALKALINE	378
ALKALINE	300	ALKALINE	100
ALKALINE	20	ALKALINE	ya.
ALKALINE	300	ALKALINE	374
ALKALINE	200	ALKALINE	In.
ALKALINE	20.	ALKALINE	228 -
ALKALINE	370	ALKALINE	300
ee.	BUILT	TO LAST	<u>.7X</u>

SI2107

BATTERY TYPE

BARCODE

5050028134862

LR6/AA

D SIZE SUPER ALKALINE, PACK OF 2



D SIZE SUPER ALKALINE, PACK OF 4



SI2IIO

BATTERY TYPE

LR20/D

BARCODE

5050028134893

_	_			_
Г	Э		r	n
D	D	-	1	U

BATTERY TYPE

BARCODE

LR20/D

5050028025887

C SIZE SUPER ALKALINE, PACK OF 2



BATTERY TYPE

22330

BARCODE

5050028025856

LRI4/C

C SIZE SUPER ALKALINE, PACK OF 6



SI2109

BATTERY TYPE LRI4/C BARCODE 5050028134886

9V SUPER ALKALINE, PACK OF 4





SI2III

BATTERY TYPE	LR22/9V
BARCODE	5050028134909



9V SUPER ALKALINE, PACK OF



S534

BATTERY TYPE

BARCODE

LR22/9V

5050028025917

BATTERY RANGE ULTRA ALKALINE.

Ultra Alkaline are our premium long life batteries with up to 10 times more power than the Zinc range, making them the perfect choice for heavily used devices that require a lot of energy. Ideal for shavers, electric toothbrushes and motorized toys.



BATTERY RANGE ULTRA ALKALINE

Ultra Alkaline batteries are available in various types and pack sizes to suit a wide range of applications.

The essential AA, AAA, C, D and 9V battery types are all included in our range.

AAA ULTRA ALKALINE, PACK OF 4



S5492

BATTERY TYPE

BARCODE

5050028028956

LRO3/AAA

AAA ULTRA ALKALINE, PACK OF 16



S8809

BATTERY TYPE	LR03/AAA
BARCODE	5050028078159



AA ULTRA ALKALINE, PACK OF 4



S549

BATTERY TYPE

BARCODE

5050028028925

LR6/AA



D SIZE ULTRA ALKALINE, PACK OF 2



9V ULTRA ALKALINE, PACK OF I



S88||

BATTERY TYPE

LR20/D

BARCODE

5050028078173

58812

BATTERY TYPE

LR22/9V

BARCODE

5050028078180

AA ULTRA ALKALINE, PACK OF 24



R07 60

BARCODE

BATTERY TYPE

LR6/AA

5050028078135

C SIZE ULTRA ALKALINE, PACK OF 2



S8810

BATTERY TYPE

BARCODE

5050028078166

LRI4/C



BATTERY RANGE

The Industrial range are the most popular choice for consumers and industrial applications where an economical and general-purpose battery is required. Working well at low temperatures, the advantages to the JCB Professional Super Alkaline batteries include a high energy output, reliability and a long shelf life.



AAA INDUSTRIAL, PACK OF 10



AA INDUSTRIAL, PACK OF 10



S5447

BATTERY TYPE

BARCODE

5050028028277

LR03/AAA

BATT	ERY	ΤY	ΡE	
RARC	מי	-		

5050028028253

LR6/AA

D SIZE INDUSTRIAL, PACK OF 10



9V INDUSTRIAL, PACK OF 10



S5449

BATTERY TYPE

LR20/D

BARCODE

5050028028314

S5450

BATTERY TYPE	LR22/9V
BARCODE	5050028028338



BATTERY RANGE RECHARGEABLE.

The Rechargeable battery range provide cost effective, reusable power for high-tech, high-drain devices. You can trust JCB to last longer and recharge hundreds of times. These eco-friendly batteries come fully charged and can be used in a wide range of applications.

AAA 900MAH RECHARGEABLE, PACK OF 4

AA 1200MAH RECHARGEABLE, PACK OF 4





S5352

BATTERY TYPE

BARCODE

S5350

5050028026242

LR03/AAA

BATTERY TYPE

BARCODE

S5452

5050028028383

LR6/AA

AA 2400MAH RECHARGEABLE, PACK OF 4



9V 200MAH RECHARGEABLE, PACK OF I



S6420

BATTERY TYPE	LR6/AA	1	BATTERY TYPE	LR22/9V
BARCODE	5050028026181		BARCODE	5050028035299



BATTERY RANGE COIN CELL / SPECIALIST.

Specialist batteries are suitable for a wide variety of electronic devices. They are ideal for watches, clocks, calculators, torches, toys, car keys and health & fitness devices.





BATTERY RANGE COIN CELL / SPECIALIST

Coin Cell / Specialist batteries are available in various types to cover a wide range of devices.

The range includes LR1, LRV08, LR44, CR2016, CR2025, CR2032 and many others.



WATCH CELL MIX, PACK OF 15

BATTERY TYPE

\$5344

BARCODE

BATTERY TYPE

BARCODE

5050028095231

LR4I/LR43/LR44/LR62I/LR626

LITHIUM COIN CELL, PACK OF 6



S490I

 BATTERY TYPE
 CR2016/CR2025/CR2032

 BARCODE
 5050028017141

LR44, PACK OF 2



LR44

5050028026006

CR2016, PACK OF I



S5345

1	BATTERY TYPE	CR2016
	BARCODE	5050028026037



CR2025, PACK OF I



S5346

BATTERY TYPE

BARCODE

5050028026068

CR2025



5050028026099

303/357 SILVER OXIDE, PACK OF 10



376/377 SILVER OXIDE, PACK OF 10

S5436

BATTERY TYPE

BARCODE

376/377/SG4/SR626W 5050028027959



S5445

BARCODE

BATTERY TYPE	303/357/SGI3/SR44W
BARCODE	5050028028222





CHINES.

LED LAMP RANGE.

Our LED lamp range covers all the most popular shapes, wattages and cap types. GU10, GLS, Candle and Golfball are all covered in boxes or blister packs.



GUIO.

The GU10 is the most commonly used spotlight lamp, largely used for downlights and spotlight fittings in kitchens and work spaces.





LED GUI0 3W 3000K



SI096I

GUIO	
235LM	
3W	1
35W	
3000K (WARM WHITE)	
100°	61
>80	
10,000 HOURS	
220-240V	
50x56MM	
12	
5050028108269	
	235LM 3W 35W 3000K (WARM WHITE) 100° >80 10,000 HOURS 220-240V 50x56MM 12

LED GUI0 3W 4000K



SI2498

CAP TYPE	GUIO
LUMENS	250LM
WATTAGE	3W
WATTAGE EQUIVALENT	35W
COLOUR TEMPERATURE	4000K (COOL WHITE)
BEAM ANGLE	100°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	50x56MM
INNER CASE QUANTITY	12
BARCODE	5050028138259

LED GUI0 3W 6500K



SI0962

LED GUI0 5W 3000K



SI0963

Y Y
BI
V
D
IN
B/

	510705	
	CAP TYPE	GUIO
ł	LUMENS	350LM
	WATTAGE	5W
)	WATTAGE EQUIVALENT	50W
	COLOUR TEMPERATURE	3000K
ļ	BEAM ANGLE	100°
	CRI	>80
	LIFESPAN	IO,000 HOURS
	VOLTAGE	220-240V
	DIMENSIONS	50x56MM
	INNER CASE QUANTITY	12
	BARCODE	5050028108283



LED GUI0 5W 4000K



SI2499

GUIO	
370LM	1
5W	V
50W	1
4000K	-
100°	L
>80	
10,000 HOURS	
220-240V	1
50x56MM	L
12	1
5050028138365	
	370LM 5W 50W 4000K 100° >80 10,000 HOURS 220-240V 50x56MM 12

LED GUI0 5W 6500K

122



		19 To 1
CAP TYPE	GUIO	5
LUMENS	250LM	Å
WATTAGE	5W	1
WATTAGE EQUIVALENT	50W	
COLOUR TEMPERATURE	6500K	1
BEAM ANGLE	100°	1
CRI	>80	<u> </u>
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	
DIMENSIONS	50x56MM	
INNER CASE QUANTITY	12	
BARCODE	5050028108665	

LED GUI0 5W 3000K



SI0965

1

LED GUI0 5W 6500K



\$10966

ALL	and the second se	
GUIO		CAP TYPE
350LM		LUMENS
5W		WATTAGE
50W		WATTAGE EQUIV
3000K		COLOUR TEMPER
100°		BEAM ANGLE
>80		CRI
10,000 HOURS		LIFESPAN
220-240V		VOLTAGE
50x56MM		DIMENSIONS
12		INNER CASE QUA
5050028108306		BARCODE
	350LM 5W 50W 3000K 100° >80 10,000 HOURS 220-240V 50x56MM 12	350LM 5W 50W 3000K 100° > 80 10,000 HOURS 220-240V 50x56MM 12

	310700	
	CAP TYPE	GUIO
)	LUMENS	250LM
	WATTAGE	5W
)	WATTAGE EQUIVALENT	50W
	COLOUR TEMPERATURE	6500K
	BEAM ANGLE	100°
	CRI	>80
	LIFESPAN	10,000 HOURS
	VOLTAGE	220-240V
	DIMENSIONS	50x56MM
	INNER CASE QUANTITY	12
	BARCODE	5050028108313



GOLFBALL.

Golfball lamps are most commonly used in smaller light fittings and desk lamps. Our range includes the most common cap types in 2 different wattages.



LED LAMP RANGE GOLFBALL

Our Candle range is available in 3W-6W and 3 colour temperatures in various cap types to suit various light fittings and settings.

LED GOLF 3W 3000K



SI0967

and the second	
CAP TYPE	BC/B22
LUMENS	250LM
WATTAGE	3W
WATTAGE EQUIVALENT	25W
COLOUR TEMPERATURE	3000K (WARM WHITE)
BEAM ANGLE	180°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	45x78MM
INNER CASE QUANTITY	12
BARCODE	5050028108320

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI0968 BARCODE: 5050028108337



LED GOLF 6W 3000K



LED GOLF 6W 4000K



SI0969

CAP TYPE	BC/B22	1
LUMENS	470LM	
WATTAGE	6W	1 Alexandre
WATTAGE EQUIVALENT	40W	1
COLOUR TEMPERATURE	3000K (WARM WHITE)	
BEAM ANGLE	120°	1
CRI	>80	1
LIFESPAN	10,000 HOURS	1
VOLTAGE	220-240V	1
DIMENSIONS	45x78MM	L
INNER CASE QUANTITY	12	1
BARCODE	5050028108344	

S1250

CAP TYPE	BC/B22	4
LUMENS	520LM	Å
WATTAGE	6W	1
WATTAGE EQUIVALENT	40W	A
COLOUR TEMPERATURE	4000K (COOL WHITE)	-
BEAM ANGLE	120°	L,
CRI	>80	_
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	
DIMENSIONS	45x78MM	
INNER CASE QUANTITY	12	
BARCODE	5050028138273	

OTHER CAP TYPES AVAILABLE:

CAP: SBC/BI5 S-CODE: SI3565 BARCODE: 5050028162865 CAP: SES/E14 S-CODE: SI0971 BARCODE: 5050028108368 CAP: ES/E27 S-CODE: SI0973 BARCODE: 5050028108382

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI250I BARCODE: 5050028I38280

LED GOLF 6W 6500K



LED GOLF 6W 3000K BLISTER PACK



SI0974

107 207 207 207 208	ACT ACT ACT ACT ACT	
CAP TYPE	BC/B22	
LUMENS	520LM	\mathbf{D}
WATTAGE	6W	
WATTAGE EQUIVALENT	40W	
COLOUR TEMPERATURE	6500K (DAYLIGHT)	
BEAM ANGLE	120°	
CRI	>80	
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	000
DIMENSIONS	45x78MM	DDI
INNER CASE QUANTITY	12	
BARCODE	5050028108351	

CAP TYPE	BC/B22
LUMENS	470LM
WATTAGE	6W
WATTAGE EQUIVALENT	40W
COLOUR TEMPERATURE	3000K (WARM WHITE)
BEAM ANGLE	120°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	45x78MM
INNER CASE QUANTITY	12
BARCODE	5050028108399

OTHER CAP TYPES AVAILABLE:

CAP: SBC/BI5_S-CODE: SI3566_BARCODE: 5050028162872 CAP: SES/EI4_S-CODE: SI0972_BARCODE: 5050028108375

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI0975 BARCODE: 5050028108405



CANDLE.

Candle lamps are used to replicate a real candle in decorative fittings such as wall lights and chandeliers. Our range covers all the most common cap types and are available in various colour temperatures.



LED LAMP RANGE CANDLE

Our Candle range is available in 3W-6W and 3 colour temperatures in various cap types to suit various light fittings and settings.





SI0976

CAP TYPE	BC/B22
LUMENS	250LM
WATTAGE	3W
WATTAGE EQUIVALENT	25W
COLOUR TEMPERATURE	3000K (WARM WHITE)
BEAM ANGLE	150°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	37x100MM
INNER CASE QUANTITY	12
BARCODE	5050028108412

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI0977 BARCODE: 5050028108429



LED CANDLE 6W 3000K



LED CANDLE 6W 4000K



SI0978

BC/B22	
470LM	
6W	
40W	1
3000K (WARM WHITE)	
150°	1
>80	1
10,000 HOURS	
220-240V	(
37x100MM	L
12	1
5050028108436	
	470LM 6W 40W 3000K (WARM WHITE) 150° >80 10,000 HOURS 220-240V 37x100MM 12

SI250

CAP TYPE	BC/B22	5
LUMENS	520LM	Å
WATTAGE	6W	10
WATTAGE EQUIVALENT	40W	13
COLOUR TEMPERATURE	4000K (COOL WHITE)	1
BEAM ANGLE	150°	A
CRI	>80	_
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	
DIMENSIONS	37x100MM	
INNER CASE QUANTITY	12	
BARCODE	5050028138297	

OTHER CAP TYPES AVAILABLE:

CAP: SBC/BI5 S-CODE: SI0980 BARCODE: 5050028108450 CAP: SES/EI4 S-CODE: SI0981 BARCODE: 5050028108467 CAP: ES/E27 S-CODE: SI0983 BARCODE: 5050028108481

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI2503 BARCODE: 5050028I38303

LED CANDLE 6W 6500K

LED CANDLE 6W 3000K BLISTER PACK





S10984

107 107 107 108	AND AND AND AND AND AND AND	and the second se
CAP TYPE	BC/B22	
LUMENS	520LM	$\mathbf{D}\mathbf{O}$
WATTAGE	6W	
WATTAGE EQUIVALENT	40W	
COLOUR TEMPERATURE	6500K (DAYLIGHT)	000
BEAM ANGLE	150°	
CRI	>80	000
LIFESPAN	10,000 HOURS	
/OLTAGE	220-240V	
DIMENSIONS	37x100MM	III
NNER CASE QUANTITY	12	TIT
BARCODE	5050028108443	

	CAP TYPE	BC/B22
)	LUMENS	470LM
	WATTAGE	6W
)	WATTAGE EQUIVALENT	40W
	COLOUR TEMPERATURE	3000K (WARM WHITE)
ļ	BEAM ANGLE	150°
	CRI	>80
	LIFESPAN	10,000 HOURS
	VOLTAGE	220-240V
	DIMENSIONS	38x100MM
/	INNER CASE QUANTITY	12
	BARCODE	5050028108498

OTHER CAP TYPES AVAILABLE:

L

C B C L V D

CAP: SBC/BI5 S-CODE: SI3567 BARCODE: 5050028162889 CAP: SES/EI4 S-CODE: SI0982 BARCODE: 5050028108474

OTHER CAP TYPES AVAILABLE:

CAP: SES/EI4 S-CODE: SI0985 BARCODE: 5050028108504



LED LAMP RANGE

GLS lamps are closest to the traditional light bulb shape and are still one of the most commonly used type of lamp available today.



LED LAMP RANGE GLS

Our versatile GLS range is available in 6W-15W and 3 colour temperatures in BC/B22 and ES/E27 caps making them suitable for a wide range of applications.



LED GLS 6W 3000K

S10986

CAP TYPE	ES/E27
LUMENS	470LM
WATTAGE	6W
WATTAGE EQUIVALENT	40W
COLOUR TEMPERATURE	3000K (WARM WHITE)
BEAM ANGLE	200°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	60xII0MM
INNER CASE QUANTITY	12
BARCODE	5050028108511

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: S10987 BARCODE: 5050028108528



LED GLS 6W 6500K



LED GLS IOW 3000K



SI3568

ES/E27	
520LM	
6W	
40W	No.
6500K (DAYLIGHT)	1
200°	6
>80	1
10,000 HOURS	
220-240V	L
60xII0MM	
12	
5050028162896	
	520LM 6W 40W 6500K (DAYLIGHT) 200° >80 10,000 HOURS 220-240V 60x110MM 12

S1098

CAP TYPE	ES/E27	1
LUMENS	806LM	Å
WATTAGE	10W	10
WATTAGE EQUIVALENT	60W	
COLOUR TEMPERATURE	3000K (WARM WHITE)	1
BEAM ANGLE	200°	4
CRI	>80	4
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	
DIMENSIONS	60xII0MM	
INNER CASE QUANTITY	12	
BARCODE	5050028108535	

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: SI3569 BARCODE: 5050028162902

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: SI0989 BARCODE: 5050028108542

LED GLS IOW 3000K BLISTER PACK



LED GLS IOW 4000K



SI2504

107 107 107 107	AND AND AND AND AND	And
CAP TYPE	BC/B22	
LUMENS	806LM	
WATTAGE	10W	
WATTAGE EQUIVALENT	60W	
COLOUR TEMPERATURE	3000K (WARM WHITE)	000
BEAM ANGLE	200°	
CRI	>80	000
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	000
DIMENSIONS	60xII0MM	III
INNER CASE QUANTITY	12	
BARCODE	5050028108573	

САР ТҮРЕ	ES/E27
LUMENS	820LM
WATTAGE	10W
WATTAGE EQUIVALENT	60W
COLOUR TEMPERATURE	4000K (COOL WHITE)
BEAM ANGLE	200°
CRI	>80
LIFESPAN	10,000 HOURS
VOLTAGE	220-240V
DIMENSIONS	60xII0MM
INNER CASE QUANTITY	12
BARCODE	5050028138310

OTHER CAP TYPES AVAILABLE:

CAP: ES/E27 S-CODE: SI0993 BARCODE: 5050028108580

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: SI2505 BARCODE: 5050028I38327



LED GLS IOW 6500K



LED GLS I5W 3000K



SI0990

CAP TYPE	ES/E27	
LUMENS	820LM	1
WATTAGE	10W	
WATTAGE EQUIVALENT	60W	1
COLOUR TEMPERATURE	6500K (DAYLIGHT)	
BEAM ANGLE	200°	L.
CRI	>80	
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	L
DIMENSIONS	60xII0MM	
INNER CASE QUANTITY	12	
BARCODE	5050028108559	

S1099

CAP TYPE	ES/E27	1
LUMENS	1530LM	Å
WATTAGE	15W	-
WATTAGE EQUIVALENT	100W	4
COLOUR TEMPERATURE	3000K (WARM WHITE)	1
BEAM ANGLE	130°	Å
CRI	>80	2
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	
DIMENSIONS	70xl32MM	
INNER CASE QUANTITY	12	
BARCODE	5050028108597	

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: SI099I BARCODE: 5050028108566

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: SI0995 BARCODE: 5050028108603

LED GLS I5W 4000K



LED GLS IOW 6500K



SI0996

THE THE WAY THE	ALL	the second second second
CAP TYPE	ES/E27	
LUMENS	1560LM	
WATTAGE	15W	
WATTAGE EQUIVALENT	100W	
COLOUR TEMPERATURE	4000K (COOL WHITE)	$\mathbf{D}\mathbf{O}\mathbf{O}$
BEAM ANGLE	130°	
CRI	>80	
LIFESPAN	10,000 HOURS	
VOLTAGE	220-240V	000
DIMENSIONS	70xI32MM	DIT
INNER CASE QUANTITY	12	
BARCODE	5050028138334	

	CAP TYPE	ES/E27
)	LUMENS	1560LM
	WATTAGE	15W
)	WATTAGE EQUIVALENT	100W
	COLOUR TEMPERATURE	6500K (DAYLIGHT)
ļ	BEAM ANGLE	130°
	CRI	>80
	LIFESPAN	10,000 HOURS
	VOLTAGE	220-240V
	DIMENSIONS	70xl32MM
	INNER CASE QUANTITY	12
	BARCODE	5050028108610

OTHER CAP TYPES AVAILABLE:

10

CAP: BC/B22 S-CODE: SI2507 BARCODE: 5050028I3834I

OTHER CAP TYPES AVAILABLE:

CAP: BC/B22 S-CODE: S10997 BARCODE: 5050028108627



